

Context-Free Languages of String Diagrams

Matt Earnshaw

Tallinn University of Technology, Estonia

Mario Román

University of Oxford, United Kingdom

Abstract

We introduce context-free languages of morphisms in monoidal categories, extending recent work on the categorification of context-free languages, and regular languages of string diagrams. Context-free languages of string diagrams include classical context-free languages of words, trees, and hypergraphs, when instantiated over appropriate monoidal categories. We prove a representation theorem for context-free languages of string diagrams: every such language arises as the image under a monoidal functor of a regular language of string diagrams.

2012 ACM Subject Classification Theory of computation → Formal languages and automata theory; Theory of computation → Categorical semantics

Keywords and phrases monoidal categories, language theory, context-free languages, string diagrams

Digital Object Identifier 10.4230/LIPIcs.CVIT.2016.23

Acknowledgements We would like to thank Noam Zeilberger, Paul-André Melliès, Paweł Sobociński, and Chad Nester for helpful discussions, and Tobias Heindel for allowing us to believe it was possible. Matt Earnshaw and Mario Román were supported by the ESF funded Estonian IT Academy research measure (project 2014-2020.4.05.19-0001) and the Estonian Research Council grant PRG1210.

1 Introduction

Monoids are the classical algebraic home of formal languages, but a long line of research beginning in the 60s has sought to extend the tools and concepts of language theory to other algebraic structures, such as trees [21, 41], traces [12], hypergraphs [10, 22, 42], models of algebraic theories [17, 46], algebras for monads [3, 4], and categories [2, 47].

Categories are “monoids with many objects”, and passing from the theory of context-free languages in monoids to the theory of context-free languages in categories has been the subject of recent work by Melliès and Zeilberger [33, 34]. This novel structural point of view suggests a natural generalization to categories with additional structure. Here, we pursue this idea for *monoidal categories*. On the one hand, strict monoidal categories are *two-dimensional monoids*, and so a natural step from their one-dimensional counterpart. On the other hand, they have a natural graphical syntax, *string diagrams*, providing a fresh approach to languages of graphs.

A vast literature has explored language theory in various algebras of graphs, culminating in the celebrated results of Courcelle [10]. Our point of departure is the claim that many graphical notions can be naturally viewed as *morphisms in monoidal categories*; that is, monoidal categories provide a suitable algebraic framework for graphical formal languages. This manuscript pursues this idea in the context of recent work in the foundations of language theory which takes a structural approach to *context-freeness*. Ultimately, this line of work seeks to unify the various generalizations of context-free languages, and identify reusable tools for reasoning about them.



© Matt Earnshaw and Mario Román;
licensed under Creative Commons License CC-BY 4.0
42nd Conference on Very Important Topics (CVIT 2016).

Editors: John Q. Open and Joan R. Access; Article No. 23; pp. 23:1–23:24



Leibniz International Proceedings in Informatics
Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

1.1 Languages of string diagrams

Monoidal categories have an intuitive, sound and complete graphical syntax: *string diagrams*. String diagrams resemble graphical languages commonly found in engineering and science, and indeed, they allow us to reason about Markov kernels [20], linear algebra [6], or quantum processes [1]. In computer science, they provide foundations for visual programming [27, 29].

The use of string diagrams as a syntax in these various domains suggests the need for a corresponding theory of string diagrams as a formal language. This is one aim of recent work on languages of string diagrams or *monoidal languages*, such as that elaborated by Earnshaw and Sobociński [14, 15], who introduced the class of *regular monoidal languages*. A monoidal language in this sense is simply a subset of morphisms in a strict monoidal category, just as a classical formal language is a subset of a monoid. In this work, we introduce a natural class of *context-free* monoidal languages, which capture various extended notions of context-free language found in the computer science literature.

1.2 Context-free languages over categories

Our main point of reference in this paper is the recent work of Melliès and Zeilberger [33, 34]. This work is a thoroughgoing refashioning of the theory of context-free languages from a “fibrational” point of view. Melliès and Zeilberger demonstrate that it is natural and fruitful to consider context-free languages over arbitrary *categories*. They introduce an adjunction between *splicing* (introducing gaps or contexts in terms) and *contouring* (linearizing derivation trees), and use it to give a novel conceptual proof of the Chomsky-Schützenberger representation theorem.

Melliès and Zeilberger provide an ample supply of examples of context-free languages in categories, such as context-free languages of runs over an automaton, languages with an explicit end-of-input marker, multiple context-free grammars [43] and a grammar of series-parallel graphs. However, it is less clear how notions such as context-free grammars of trees and hypergraphs fit into this framework. In this paper, we show how this can be accomplished by adapting the machinery of Melliès and Zeilberger to the wider setting of monoidal categories and their string diagrams. This generalization is non-trivial, and sheds light on the intriguing differences between languages of string diagrams and classical languages. In particular, our two-dimensional version of the Chomsky-Schützenberger representation theorem says that every context-free language of string diagrams is the image under a monoidal functor of a regular language of string diagrams: no intersection of context-free and regular languages is necessary.

Related work

The representation of context-free grammars as certain morphisms of multigraphs was introduced by Walters in a short paper [48]. A similar type-theoretical version of this idea was also introduced by De Groote [11]. As discussed more extensively above, this idea was taken up and substantially refined by Melliès and Zeilberger, first in a conference paper [33] and later in an extended version [34].

A different notion of context-free families of string diagrams has been introduced by Zamdzhiev [49]. There, string diagrams are defined combinatorially as *string graphs*, and context-free families are then generated by B-edNCE graph grammars [42]. Though similar, the resulting notion is not directly comparable to ours. Here, we use the native algebra of monoidal categories and their multicategories of contexts to define and investigate languages.

Finally, Heindel’s abstract [23] claims a proof of a Chomsky-Schützenberger theorem for morphisms in symmetric monoidal categories, but the work described in this abstract was never published. Our development is quite different from that outlined in Heindel’s abstract. We prove a stronger representation theorem that does not require an intersection of languages; we work without the assumption of symmetry; and we generalize the categorical machinery of Melliès and Zeilberger.

Contributions

We introduce [context-free languages of string diagrams](#) (Definition 4.13) and show that they include a wide variety of examples in the computer science literature including context-free languages of trees and hypergraphs. We introduce the category of [raw optics](#) (Definition 5.1) over a [monoidal category](#), and its left adjoint, the [optical contour](#) (Definition 5.5 and Theorem 5.6). We use this machinery to prove a representation theorem for [context-free monoidal languages](#) (Theorem 6.6), also relating them to previous work on [regular monoidal languages](#).

2 Preliminaries

In this paper, we define context-free grammars as particular *morphisms*. This point of view, while perhaps unfamiliar, is simple and powerful. It suggests natural generalizations of context-free grammars, such as we will pursue in the main body of the paper, and new conceptual tools for reasoning about them. This idea is not original to us; its roots go back to Walters [48], with recent refinement and extension by Melliès and Zeilberger [33, 34]. In this section, we introduce these ideas. We also introduce some background on monoidal categories and their string diagrams, which will be needed for our extension of context-free grammars to this realm.


2.1 Context-free languages in free monoids and other categories

We introduce the definition of context-free grammar as a morphism of certain *multigraphs*. [Multigraphs](#) (or *species* in the work of Melliès and Zeilberger [34]) are a kind of graph in which edges have a *list* of sources and single target. It is often helpful to think of a [multigraph](#) as a *signature*, specifying a set of typed operations. Note that this is a different use of the term *multigraph* from that specifying graphs allowing multiple parallel edges.

► **Definition 2.1.** A [multigraph](#) M is a set S of sorts, and sets $M(X_1, \dots, X_n; Y)$ of *generating operations* (or multimorphisms), for each pair of a list of sorts X_1, \dots, X_n and a sort Y . A *multigraph* is finite if sorts and operations are finite sets. A [morphism of multigraphs](#) is given by a function f on sorts and functions $M(X_1, \dots, X_n; Y) \rightarrow M(fX_1, \dots, fX_n; fY)$ between sets of operations.

[Multigraphs](#) freely generate [multicategories](#), also known as *operads*. See Leinster [32] for a comprehensive reference on [multicategories](#). The free multicategory $\mathcal{F}_\nabla M$ over a [multigraph](#) M has as multimorphisms $\mathcal{F}_\nabla M(X_1, \dots, X_n; Y)$ the “trees” rooted at Y , with open leaves X_1, \dots, X_n , that one can build by “plugging together” operations in M . We call closed trees, i.e. nullary multimorphisms $d \in \mathcal{F}_\nabla M(; Y)$, *derivations*. Every multicategory \mathbb{M} has an underlying [multigraph](#), denoted $|\mathbb{M}|$, given by forgetting identities and composition.

Every rule in a context-free grammar is of the form $R \rightarrow w_1 R_1 \dots R_n w_n$, where R, R_i are non-terminals, and w_i are (possibly empty) words over an alphabet Σ . The insight of Melliès and Zeilberger [34] is that this data may be arranged as an operation $R_1, \dots, R_n \rightarrow R$ in a



■ **Figure 1** (Left) Generic form of a context-free rule. (Right) Context-free rules as a morphism of multigraphs into spliced arrows; here, spliced arrows in a monoid.

multigraph over an n -ary operation $w_1 - \dots - w_n$ called a *spliced word*: a word with n gaps, as in Figure 1. We introduce the multicategory of *spliced arrows in a category*.

► **Definition 2.2** (Melliès and Zeilberger [34]). *The multicategory of spliced arrows, $\mathscr{W}\mathbb{C}$, over a category \mathbb{C} , contains, as objects, pairs of objects of \mathbb{C} , denoted as $\frac{A}{B}$. Its multimorphisms are morphisms of the original category, but with n “gaps” or “holes”, into which other morphisms (with holes) may be spliced. More precisely, the multimorphisms of $\mathscr{W}\mathbb{C}$ are given by:*

$$\mathscr{W}\mathbb{C}(\frac{A_1}{B_1}, \dots, \frac{A_n}{B_n}; \frac{X}{Y}) := \mathbb{C}(X; A_1) \times \prod_{i=1}^{n-1} \mathbb{C}(B_i; A_{i+1}) \times \mathbb{C}(B_n; Y).$$

By convention, nullary multimorphisms are morphisms of \mathbb{C} , that is $\mathscr{W}\mathbb{C}(\frac{X}{Y}) := \mathbb{C}(X; Y)$. The identity is given by a pair of identities of the original category, multicategorical composition is derived from the composition of the original category.

We can now present a context-free grammar in terms of a morphism of **multigraphs** from a multigraph of non-terminals to the underlying **multigraph** of **spliced arrows**, as in Figure 1.

► **Definition 2.3** (Melliès and Zeilberger [34]). *A context-free grammar of morphisms in a category \mathbb{C} is a morphism of multigraphs $G \rightarrow |\mathscr{W}\mathbb{C}|$ and a sort S in G (the start symbol).*

By the free-forgetful adjunction between **multicategories** and **multigraphs**, morphisms $\phi : G \rightarrow |\mathscr{W}\mathbb{C}|$ and morphisms of multicategories (or multifunctors) $\hat{\phi} : \mathcal{F}_{\nabla}G \rightarrow \mathscr{W}\mathbb{C}$ are in bijection. This allows for a slick definition of the language of a grammar.

► **Definition 2.4** (Melliès and Zeilberger [34]). *Let $\mathcal{G} = (\phi : G \rightarrow |\mathscr{W}\mathbb{C}|, S)$ be a context-free grammar of morphisms in \mathbb{C} . The language of \mathcal{G} is given by the image of the set of derivations $\mathcal{F}_{\nabla}G(\cdot; S)$ under the multifunctor $\hat{\phi}$.*

When \mathbb{C} is a finitely generated free monoid considered as a one-object category, then context-free grammars over \mathbb{C} correspond precisely to the classical context-free grammars.


An important realization of Melliès and Zeilberger is that the operation of forming the **multicategory of spliced arrows** in \mathbb{C} has a left adjoint. That is, every multicategory gives rise to a category called the *contour* of \mathbb{M} , and this contouring operation is left adjoint to splicing. We refer to their paper for more details [34, Section 3.2]. Contours give a conceptual replacement for Dyck languages in the classical theory of context-free languages: they linearize the shape of derivation trees.

In Section 5, we define a new contour of **multicategories** which we call the *optical contour*; we shall use it to prove a representation theorem for languages of string diagrams (Theorem 6.6), inspired by generalized Chomsky-Schützenberger representation theorem proved by Melliès and Zeilberger.

2.2 Monoidal categories, their string diagrams and languages

In this paper, we will mostly be concerned with monoidal categories presented by generators and equations between the string diagrams built from these generators. Generators are given by *polygraphs*.

► **Definition 2.5.** A *polygraph* Γ is a set S_Γ of sorts, and sets $\Gamma(S_1 \otimes \dots \otimes S_n; T_1 \otimes \dots \otimes T_m)$ of *generators* for every pair of lists S_i, T_j of sorts. A *polygraph* is *finite* if sorts and generators are finite sets. A *morphism of polygraphs* is a function f on sorts and functions $\Gamma(S_1 \otimes \dots \otimes S_n; T_1 \otimes \dots \otimes T_m) \rightarrow \Gamma(fS_1 \otimes \dots \otimes fS_n; fT_1 \otimes \dots \otimes fT_m)$ between generators.



■ **Figure 2** The free strict monoidal category over a polygraph Γ has set of objects S_Γ^* and morphisms string diagrams given inductively over the generators of Γ as above, quotiented by isotopy. The leftmost rule denotes the empty diagram. We use colours here to indicate sorts. In string diagrammatic syntax, the usual equations required for term syntax, such as associativity of the tensor product, hold automatically.

For a *generator* γ of arity $S_1 \otimes \dots \otimes S_n$ and coarity $T_1 \otimes \dots \otimes T_m$ we write $\gamma : S_1 \otimes \dots \otimes S_n \rightarrow T_1 \otimes \dots \otimes T_m$. When S is single-sorted, we use natural numbers for the arities and coarities; this case will cover most of the examples in the following. As a string diagrams, we depict generators as boxes with strings on the left and right for their arities and coarities (Figure 2).

► **Proposition 2.6.** *String diagrams with generators in a polygraph construct a monoidal category (Figure 2). The monoidal category of string diagrams over a polygraph is the free strict monoidal category over the polygraph [28, 44]. Every monoidal category is equivalent to a strict one. In particular, string diagrams are sound and complete for monoidal categories.*

We shall need to impose equations between string diagrams, such as in defining *symmetric monoidal categories*, *cartesian monoidal categories* and *hypergraph categories*. To this end, we introduce the following notion of presentation.

► **Definition 2.7.** A *finite presentation of a strict monoidal category* consists of a finite polygraph of generators, \mathcal{P} , and a finite polygraph of equations, \mathcal{E} , with projections for the two sides of each equation, $l, r : \mathcal{E} \rightarrow |\mathcal{F}_\otimes \mathcal{P}|$. The *strict monoidal category* presented by $(\mathcal{P}, \mathcal{E}, l, r)$, is defined as the free *strict monoidal category* generated by \mathcal{P} and quotiented by the equations in \mathcal{E} ; in other words, the equalizer of the two projections $l^*, r^* : \mathcal{F}_\otimes \mathcal{E} \rightarrow \mathcal{F}_\otimes \mathcal{P}$.

For the soundness and completeness of string diagrams, see Joyal and Street [28]. For a survey of string diagrams for monoidal categories, see Selinger [44]. For an introduction to the practical use of string diagrams, see Vicary and Heunen [25] or Hinze and Marsden [26].

► **Definition 2.8.** A *monoidal language* or language of string diagrams is a subset of morphisms in a *strict monoidal category*.

3 Regular Monoidal Languages

Before introducing *context-free monoidal languages*, we introduce the *regular* case, which shall play an important role in Section 6. *Regular monoidal languages* were introduced


by Earnshaw and Sobociński [14, 15], following earlier work of Bossut and Heindel [7, 24]. They are defined by a simple automaton model, reminiscent of tree automata. In a regular monoidal language, the *alphabet* is given by a finite [polygraph](#).

► **Definition 3.1.** A [non-deterministic monoidal automaton](#) comprises: a finite [polygraph](#) Γ (the *alphabet*); a finite set of states Q ; for each generator $\gamma : n \rightarrow m$ in Γ , a transition function $\Delta_\gamma : Q^n \rightarrow \mathcal{P}(Q^m)$; and initial and final finite languages $\mathbb{I}, \mathbb{F} \subseteq Q^*$.

► **Example 3.2.** Classical non-deterministic finite state automata arise as [monoidal automata](#) over single-sorted [polygraphs](#) in which every [generator](#) has arity and coarity 1. Bottom-up regular tree automata [21] arise precisely from [monoidal automata](#) over single-sorted [polygraphs](#) in which every generator has coarity 1 and arbitrary arity, with initial language the empty word and final language a singleton.

A finite state automaton over an alphabet Σ accepts elements of the free monoid Σ^* . A [monoidal automaton](#) over a [polygraph](#) Γ accepts morphisms in the [free monoidal category](#) $\mathcal{F}_\otimes \Gamma$ over Γ . Let us see some examples before giving the formal definition of the accepted language. We depict the transitions of a [monoidal automaton](#) as elements of a [polygraph](#) with strings labelled by states, and generators labelled by the corresponding element of Γ .

► **Example 3.3.** Consider the following [polygraph](#) containing [generators](#) (left, below) for an opening and closing parenthesis, and the [monoidal automaton](#) over this polygraph with $Q = \{S, M\}$, $\mathbb{I} = \mathbb{F} = \{S\}$, and transitions shown below, centre. An accepting run over this automaton is shown below, right. The string diagram accepted by this run is what we obtain by erasing the states from this picture.



It is clear that the language accepted by this automaton is exactly the “balanced parentheses”, but note that this is not a language of *words*, since we use an extra string to keep track of opening and closing parentheses. This principle will play an important role in our representation theorem in Section 6. Roughly speaking, this extra wire arises from the [optical contour](#) of a string language of balanced parentheses.


► **Example 3.4.** In the field of DNA computing, Rothmund, Papadakis and Winfree demonstrated self-assembly of Sierpiński triangles from *DNA tiles* [40]. Earnshaw and Sobociński [14] showed how to recast the tile model as a [regular monoidal language](#) over a [polygraph](#) containing two tile generators (white and grey), along with start and end generators, as in Figure 3. Note that the start (end) generators have arity (coarity) 0, and hence effect a transition from (to) the empty word of states.

Transitions of a [non-deterministic monoidal automaton](#) over Γ extend inductively to string diagrams in $\mathcal{F}_\otimes \Gamma$, giving functions $\hat{\delta}_{n,m} : Q^n \times \mathcal{F}_\otimes \Gamma(n, m) \rightarrow \mathcal{P}(Q^m)$ (Definition F.1).

► **Definition 3.5.** A string diagram $s : n \rightarrow m$ in the [free monoidal category](#) $\mathcal{F}_\otimes \Gamma$ over Γ is in the language $L(M)$ of M if and only if there exists $i \in \mathbb{I}, f \in \mathbb{F}$ such that $f \in \hat{\delta}_{n,m}(i, s)$.

► **Definition 3.6.** A [monoidal language](#) L is a [regular monoidal language](#) if and only if there exists a [non-deterministic monoidal automaton](#) accepting L .

The data of a [monoidal automaton](#) is equivalent to a morphism of finite [polygraphs](#), which we call a [regular monoidal grammar](#), following Walters’ [48] use of the term *grammar* when data is presented as *fibred* over an alphabet, and automata when the alphabet *indexes* transitions as in Definition 3.1. We shall use this convenient presentation in the following.



■ **Figure 3** Transitions for the Sierpiński [monoidal automaton](#) (left) and an element of the language (right). The initial and final languages are the empty word.

► **Definition 3.7.** A [regular monoidal grammar](#) is a morphism of finite [polygraphs](#) $\psi : \mathbb{Q} \rightarrow \Gamma$, equipped with finite initial and final languages of sorts $\mathbb{I}, \mathbb{F} \subseteq S_{\mathbb{Q}}^*$. The sets of morphisms $\mathcal{F}_{\otimes} \mathbb{Q}(i, f)$ where $i \in \mathbb{I}, f \in \mathbb{F}$ are derivations in the grammar, and their image under the free monoidal functor $\mathcal{F}_{\otimes} \psi$ gives the language of the grammar; a subset of morphisms in $\mathcal{F}_{\otimes} \Gamma$.

► **Proposition 3.8.** For every [non-deterministic monoidal automaton](#) there is a [regular monoidal grammar](#) with the same language, and vice-versa.

Not every [monoidal language](#) is a [regular monoidal language](#). The following is an example.

► **Proposition 3.9.** Let Γ be the [polygraph](#) containing two generators: one for “over-braiding” \bowtie and one for “under-braiding” \bowtie . The language of unbraids on two strings over Γ , i.e. diagrams equivalent under planar isotopy to untangled strings, is not a [regular monoidal language](#).

Proof sketch. We can use the pumping lemma for [regular monoidal languages](#) (Lemma B.1), with $k = 2$. The argument is analogous to that for classical languages of balanced parentheses: every over-braiding or under-braiding must be eventually balanced with its opposite.

In the next section, we introduce [context-free monoidal languages](#) and we shall see that unbraids fall in this class. In Section 6 we prove a surprising representation theorem: every [context-free monoidal language](#) is the image under a [monoidal functor](#) of a [regular monoidal language](#).

► **Remark 3.10.** There is a minor difference between the definition of [regular monoidal languages](#) above, and those originally defined by Earnshaw and Sobociński [14], which were restricted to languages of scalar morphisms. In later work [15], initial and final languages of non-terminals, were introduced, as above. Bossut, Dauchet and Warin [7] allow these to be regular languages; however, our applications require no more than finite languages.

► **Remark 3.11.** As defined, [regular monoidal languages](#) are subsets of [free strict monoidal categories](#): we shall need only this case in order to prove our main theorem. [Context-free monoidal languages](#) will be defined over [arbitrary strict monoidal categories](#), so this raises the question of extending the regular case to [monoidal categories](#) that are not free. We suggest this can be done by a generalization of Melliès and Zeilberger’s definition of [finite-state automata over a category](#) as finitary [unique lifting of factorizations](#) functors [34, Section 2].


4 Context-Free Monoidal Languages

We now turn our attention to context-free grammars over monoidal categories. The [multicategory of spliced arrows](#) is defined for any category. However, for categories equipped with

a monoidal structure, it is natural to consider more general kinds of holes than allowed by the [spliced arrows](#) construction (Figure 4). Rather than tuples of disjoint pieces, we should allow the possibility that a hole can be surrounded by strings. The necessity of considering these more general holes is forced upon us by various examples that could not be captured using [spliced arrows](#) (e.g. Examples 4.15 and 4.17). Proofs omitted from this section may be found in Appendix G.

4.1 The symmetric multicategory of diagram contexts

[Context-free monoidal grammars](#) should contain productions from a variable to an incomplete diagram containing multiple variables or “holes”. This section constructs [diagram contexts](#) over an arbitrary [polygraph](#). [Diagram contexts](#) represent the incomplete derivation of a monoidal term: as such, they consist of string diagrams over which we add “holes”. We shall notate these holes in string diagrams as pink boxes (e.g. Figure 4).



■ **Figure 4** (Left) A [spliced arrow](#) is a tuple of morphisms. (Right) In a monoidal category, there is the possibility of more general holes, which do not split a morphism into disjoint pieces.

Substituting another diagram context inside a hole induces a symmetric multicategorical structure on the diagrams: symmetry means that we do not distinguish the specific order in which the holes appear. This allows us to avoid declaring a particular ordering of holes when defining a [context-free monoidal grammar](#). The mathematical device that allows us to avoid declaring a particular ordering is *shufflings*; their use in categorical logic is inspired by the work of Shulman [45].

► **Definition 4.1.** A *shuffling* of two lists, $\Psi \in \text{Shuf}(\Gamma, \Delta)$ is any list Ψ that contains the elements of both Γ and Δ in any order but preserving the relative orders of Γ and Δ .

For instance, if $\Gamma = [x, y, z]$ and $\Delta = [u, v]$, a shuffling is $\Psi = [x, u, y, z, v]$, but not $[y, u, z, x, v]$. The theory of diagram contexts will introduce a shuffling every time it mixes two contexts: this way, if a term was derived by combining two contexts, we can always reorder these contexts however we want. For instance, the term $[u, v] \vdash u \ ; \ v$ was derived from composing the axioms $[u] \vdash u$ and $[v] \vdash v$; by choosing a different shuffling, we can also derive the term $[v], [u] \vdash u \ ; \ v$. Let us now formally introduce the theory.

► **Definition 4.2.** The theory of [diagram contexts](#) \mathcal{P} over a [polygraph](#), \mathcal{P} , is described by the following logic. This logic contains objects $(A, B, C, \dots \in \mathcal{P}_{obj}^*)$ that consist of lists of types of the polygraph, $X, Y, Z, \dots \in \mathcal{P}_{obj}$; it also contains contexts $(\Gamma, \Delta, \Psi, \dots)$ that consist of lists of pairs of objects. Apart from the single variables (x, y, z, \dots) and the generators of the [polygraph](#) (f, g, h, \dots) ; we consider fully formed terms (t_1, t_2, \dots) .

IDENTITY	GENERATOR	HOLE
$\vdash \text{id} : \overline{X}$	$\vdash f : \overline{X_1, \dots, X_n}$ $\quad \quad \quad \underline{Y_1, \dots, Y_m}$	$\overline{[x] : A \vdash [x] : A}$
SEQUENTIAL		PARALLEL
$\Gamma \vdash t_1 : \overline{A}$	$\Delta \vdash t_2 : \overline{B}$	$\Gamma \vdash t_1 : \overline{A_1}$
$\text{Shuf}(\Gamma; \Delta) \vdash t_1 \ ; \ t_2 : \overline{A}$	$\Delta \vdash t_2 : \overline{B_2}$	$\Delta \vdash t_2 : \overline{B_2}$
		$\text{Shuf}(\Gamma; \Delta) \vdash t_1 \otimes t_2 : \overline{A_1 ++ A_2}$ $\quad \quad \quad \underline{B_1 ++ B_2}$

Every term in a given context has a unique derivation. We consider terms up to α -equivalence and we impose the following equations over the terms whenever they are constructed over the same context: $(t_1 \circledast t_2) \circledast t_3 = t_1 \circledast (t_2 \circledast t_3)$; $t \circledast \text{id} = t$; $t_1 \otimes (t_2 \otimes t_3) = (t_1 \otimes t_2) \otimes t_3$; $(t_1 \circledast t_2) \otimes (t_3 \circledast t_4) = (t_1 \otimes t_3) \circledast (t_2 \otimes t_4)$.

► **Proposition 4.3.** *The multicategory of derivable sequents in the theory of [diagram contexts](#) is symmetric. In logical terms, exchange is admissible in the theory of [diagram contexts](#).*

► **Proposition 4.4.** *Derivable sequents in the theory of [diagram contexts](#) over a polygraph \mathcal{P} form the free strict monoidal category over the polygraph extended with special “hole” generators, $\mathcal{P} + \{h_{A,B} : A \rightarrow B \mid A, B \in \mathcal{P}_{\text{obj}}^*\}$. Derivable sequents over the empty context form the free [strict monoidal category](#) over the polygraph \mathcal{P} . Moreover, there exists a symmetric multifunctor $i: \boxed{\mathcal{F}_{\otimes} \mathcal{P}} \rightarrow \boxed{\mathcal{P}}$ interpreting each monoidal term as its derivable sequent.*

► **Remark 4.5.** Various notions of “holes in a monoidal category” exist in the literature, under names such as *optics*, *contexts*, or *wiring diagrams* [36, 37]. Earnshaw, Hefford and Román [38, 13] gave a universal characterization of the *produoidal* category of optics over a [monoidal category](#). This produoidal structure is useful for describing *decompositions* of diagrams. The above logic generates a multicategory similar to the operad of directed, acyclic *wiring diagrams* introduced by Patterson, Spivak and Vagner [36]; whose operations are generic morphism shapes, rather than holes in a specific monoidal category.

► **Definition 4.6.** *A [symmetric multigraph](#) is a [multigraph](#) G equipped with bijections $\sigma^*: G(X_1, \dots, X_n; Y) \cong G(X_{\sigma(1)}, \dots, X_{\sigma(n)}; Y)$ for every list X_1, \dots, X_n of sorts and every permutation σ , satisfying $(\sigma \cdot \tau)^* = \sigma^* \circledast \tau^*$ and $\text{id}^* = \text{id}$. A [morphism of symmetric multigraphs](#) is a [morphism of multigraphs](#) which commutes with the bijections.*

► **Definition 4.7.** *Every [multigraph](#), M , freely induces a [symmetric multigraph](#), $\text{clique}(M)$, with the same objects and, for each $f \in M(X_1, \dots, X_n; Y)$, a clique of elements*

$$f_{\sigma} \in \text{clique}(M)(X_{\sigma(1)}, \dots, X_{\sigma(n)}; Y),$$

connected by symmetries, meaning that $\sigma^(f_{\tau}) = f_{\sigma \circ \tau}$. This is the left adjoint to the inclusion of [symmetric multigraphs](#) into [multigraphs](#).*

► **Remark 4.8.** Given any [symmetric multigraph](#) G , finding a [multigraph](#) M whose clique recovers it, $\text{clique}(M) = G$, amounts to choosing a representative for each one of the cliques of the multigraph. Any [symmetric multigraph](#) can be (non-uniquely) recovered in this way: for each multimorphism $f \in G(X_1, \dots, X_n; Y)$, we can consider its orbit under the action of the symmetric group, $\text{orb}(f) = \{\sigma^*(f) \mid \sigma \in S_n\}$ – the orbits of different elements may coincide, but each element does have one – and picking an element g_o for each orbit, $o \in \{\text{orb}(f) \mid f \in G\}$, recovers a multigraph giving rise to the original symmetric multigraph.

► **Definition 4.9.** *The theory of [diagram contexts](#) over a finitely presented [monoidal category](#), $(\mathcal{P}, \mathcal{E}, l, r)$ (Definition 2.7), is the theory of [diagram contexts](#) over its generators, quotiented by its equations; in other words, it is the equalizer of the two projections of each equation, interpreted as derivable sequents $(\boxed{l^*} \circledast i), (\boxed{r^*} \circledast i): \boxed{\mathcal{E}} \rightarrow \boxed{\mathcal{P}}$.*

► **Proposition 4.10.** *The formation of [diagram contexts](#) in a [monoidal category](#) or [polygraph](#) extends to functors $\boxed{} : \text{MonCat} \rightarrow \text{MultiCat}$ and $\boxed{} : \text{PolyGraph} \rightarrow \text{MultiGraph}$, which moreover commute with the free multicategory \mathcal{F}_{∇} and free monoidal category functors \mathcal{F}_{\otimes} .*

At this point, the reader may doubt that the formation of **diagram contexts** has a left adjoint similar to the **contour** functor for **spliced arrows**. Indeed, in order to recover a left adjoint, we shall need to introduce another multicategory of diagrams which we call **raw optics**. This technical device will allow us to prove our main theorem (Theorem 6.6). However, let us first see the definition of context-free monoidal grammar, and some examples.

4.2 Context-Free Monoidal Grammars

We now have the ingredients for our central definition. A **context-free monoidal grammar** specifies a language of string diagrams by a collection of rewrites between *diagram contexts*, where the non-terminals of a context-free grammar are now (labelled) *holes* in a diagram (e.g. Figure 8). Our definition is entirely analogous to Definition 2.3, but using our new symmetric multicategory of **diagram contexts** in a monoidal category, instead of **spliced arrows**.

► **Definition 4.11.** A **context-free monoidal grammar** over a strict monoidal category (\mathbb{C}, \otimes, I) is a morphism of **symmetric multigraphs** $\Psi : \mathcal{G} \rightarrow |\mathbb{C}|$, into the underlying multigraph of **diagram contexts** in \mathbb{C} , where \mathcal{G} is finite, and for each pair of objects X, Y in a finite subset of \mathbb{C}_{obj} , a start symbol $S_{X,Y} \in \Psi^{-1}(X \otimes Y)$.


► **Remark 4.12.** In order for the languages of **context-free monoidal grammars** to contain string diagrams of *various* arities and coarities, we must have a start symbol for various arities and coarities, since productions preserve them. On the other hand, we can only allow a finite number of different arities and coarities, otherwise we would require an infinite alphabet of non-terminals. In most of our examples, we only require a single start symbol.

A **morphism of symmetric multigraphs** $\Psi : \mathcal{G} \rightarrow |\mathbb{C}|$ defining a grammar uniquely determines, via the free-forgetful adjunction, a symmetric multifunctor $\hat{\Psi} : \mathcal{F}_{\nabla} \mathcal{G} \rightarrow |\mathbb{C}|$, mapping (closed) derivations to morphisms of \mathbb{C} . The language of a grammar is then defined analogously to Definition 2.4:

► **Definition 4.13.** Let $(\Psi : \mathcal{G} \rightarrow |\mathbb{C}|, \mathbb{S})$ be a **context-free monoidal grammar**. The language of Ψ is the set of morphisms in \mathbb{C} given by the images under $\hat{\Psi}$ of the sets of derivations $\mathcal{F}_{\nabla} \mathcal{G}(\cdot; S)$ for every $S \in \mathbb{S}$. A set of morphisms L in \mathbb{C} is a **context-free monoidal language** if and only if there exists a **context-free monoidal grammar** whose language is L .

Let us see some examples. We use the notation $S \sqsubset \frac{A}{B}$ to indicate that $\phi(S) = \frac{A}{B}$, following the convention in the literature [34].

► **Example 4.14** (Classical context-free languages). Every **context-free monoidal grammar** of the following form is equivalent to a classical context-free grammar of words. Let Γ be a single-sorted finite **polygraph** whose generators are all of arity and coarity 1. Then **context-free monoidal grammars** over $\mathcal{F}_{\otimes} \Gamma$ with a start symbol $\phi(S) \sqsubset \frac{1}{1}$ are context-free grammars of words over Γ . Figure 5 gives the classical example of balanced parentheses. Similarly, every context-free grammar of words may be encoded as a **context-free monoidal grammar** in this way.




■ **Figure 5** Balanced parentheses as a context-free monoidal grammar over the polygraph Γ (left).

► **Example 4.15** (Context-free tree grammars). *Context-free tree grammars* [21, 41] are defined over *ranked alphabets* of terminals and non-terminals, which amount to **polygraphs** in which the **generators** have arbitrary arity (the rank) and coarity 1. Productions have the form $A(x_1, \dots, x_m) \rightarrow t$ where the left hand side is a non-terminal of rank m whose frontier is labelled by the variables x_i in order, and whose right hand side is a tree t built from terminals and non-terminals, and whose frontier is labelled by variables from the set $\{x_1, \dots, x_m\}$. Note that t may use the variables non-linearly.

For example, let S be a non-terminal with coarity 0, A a non-terminal with coarity 2, f a terminal of coarity 2, and x a terminal of coarity 0 (a leaf). Then a possible rule over these generators is $A(x_1, x_2) \rightarrow f(x_1, A(x_1, x_2))$, where x_1 appears non-linearly. In order to allow such non-linear use of variables in a **context-free monoidal grammar**, we can consider the free *cartesian* category over Γ . In terms of string diagrams, this amounts to introducing new generators for copying ($\dashv\!\!-\!\!-\!\!-\dashv$) and deleting variables (\dashv), satisfying some equations which we recall in Appendix D.

Let Γ be a **polygraph** in which **generators** have arbitrary arity, and coarity 1, as above. **Context-free monoidal grammars** over the free *cartesian category* on Γ , with a start symbol $S \sqsubset_1^0$ are context-free tree grammars. In Figure 6 we extend the above data to a full example. Note that by allowing start symbols $S \sqsubset_n^0$, we can produce forests of n trees.



■ **Figure 6** Example of a context-free tree grammar as a context-free monoidal grammar. The string diagrams at the bottom are *equal* in the free *cartesian* category over the polygraph of terminals.


► **Example 4.16** (Regular monoidal languages). **Regular monoidal languages** are **context-free monoidal languages**: let $R = (\phi : G \rightarrow \Gamma, \mathbb{I}, \mathbb{F})$ be a **regular monoidal grammar**. We lift this to a **context-free monoidal grammar** using the diagram contexts functor (Proposition 4.10), giving $\boxed{\phi} : \boxed{G} \rightarrow \boxed{\Gamma}$, taking the free monoidal functor $\mathcal{F}_{\otimes} \boxed{\phi}$ on this morphism of polygraphs, and finally commuting \mathcal{F}_{\otimes} and $\boxed{}$ (Proposition 4.10). The pairs $\{\overset{i}{f}\}_{i \in \mathbb{I}, f \in \mathbb{F}}$ provide the start symbols, which can be unified by introducing new symbols and transitions.

► **Example 4.17** (Hyperedge-replacement grammars). Hyperedge-replacement (HR) grammars are a kind of *context-free graph grammar* [18]. We consider HR grammars in *normal form* in the sense of Habel [22, Theorem 4.1]. A production $N \rightarrow R$ of an HR grammar has N a non-terminal with arity and coarity, and R a hypergraph with the same arity and coarity (a *multi-pointed hypergraph* in Habel’s terminology), whose hyperedges are labelled by some finite set of terminals and non-terminals.

Just as trees are morphisms in free *cartesian* monoidal categories (Example 4.15), hypergraphs are the morphisms of monoidal categories equipped with extra structure, known as *hypergraph categories* [39, 5, 19]. **Generators** in a **polygraph** are exactly directed hyperedges. The extra structure in a hypergraph category, which we recall in Appendix E, amounts to a combinatorial encoding of patterns of wiring between nodes.


23:12 Context-Free Languages of String Diagrams

Let Γ be a [polygraph](#) of terminal hyperedges, G a [multigraph](#) of non-terminal rules, and $S \in G$ a start symbol. Then [context-free monoidal grammars](#) ($G \rightarrow |\text{Hyp}[\Gamma]|, S$) over the [free hypergraph category](#) on Γ are exactly hyperedge replacement grammars over Γ (e.g. Figure 7). A hole in a morphism in $\text{Hyp}[\Gamma]$ is a placeholder for an (n, m) hyperedge, the grammar labels these holes by non-terminals, and composition corresponds to hyperedge replacement.



■ **Figure 7** A hypergraph grammar for simple *control flow graphs* with branching and looping, as a context-free monoidal grammar. Based on Habel [22, Example 3.3].

► **Example 4.18 (Unbraids).** We return to the language of unbraids suggested in Proposition 3.9. Take the grammar over the over- and under-braiding [polygraph](#) depicted in Figure 8, with start symbol S . The language of this grammar consists of unbraids on two strings.



■ **Figure 8** A context-free monoidal grammar of unbraids, with start symbol S .

Let us record some basic closure properties of context-free monoidal languages.

► **Proposition 4.19.** *Context-free monoidal languages over \mathbb{C} are closed under union. The underlying morphism is given by the copairing, and start symbols can be unified by introducing fresh symbols and productions where necessary, as in the classical case. Context-free monoidal languages are also closed under images of [strict monoidal functors](#): the underlying morphism is given by postcomposition.*

5 Optical Contour of a Multicategory

An important realization of Melliès and Zeilberger is that the formation of [spliced arrows](#) in a category has a left adjoint, which they call the *contour* of a multicategory [34, Section 3.2]. This adjunction is a key conceptual tool in their generalized version of the Chomsky-Schützenberger representation theorem, and is closely linked to the notion of *item* in LR parsing [34]. In this section, we present a similar adjunction for the monoidal setting. However, it is not clear that the formation of [diagram contexts](#) has a left adjoint. We must therefore first conduct a dissection of [diagram contexts](#) into *raw optics*.

5.1 The multicategory of raw optics

A [raw optic](#) is a tuple of morphisms obtained by cutting a [diagram context](#) into a sequence of disjoint pieces (cf. [9]). In Section 5 we shall see that [raw optics](#) has a left adjoint, the [optical contour](#), and this will be enough to prove our representation theorem (Theorem 6.6).

► **Definition 5.1.** *The [multicategory of raw optics](#) over a [strict monoidal category](#) \mathbb{C} , denoted $\text{ROpt}[\mathbb{C}]$, is defined to have, as objects, pairs $\frac{A}{B}$ of objects of \mathbb{C} , and, as its set of*




Figure 9 Two raw optics (left, centre) in $\text{ROpt}[\mathbb{C}](\frac{A}{B}; \frac{S}{T})$ which quotient to the same diagram context. Note that a raw optic is not the same as a spliced arrow: the types M, N must match.

multimorphisms, $\text{ROpt}[\mathbb{C}](\frac{A_1}{B_1}, \dots, \frac{A_n}{B_n}; \frac{S}{T})$, the following set

$$\sum_{M_i, N_i \in \mathbb{C}} \mathbb{C}(S; M_1 \otimes A_1 \otimes N_1) \times \prod_{i=1}^{n-1} \mathbb{C}(M_i \otimes B_i \otimes N_i; M_{i+1} \otimes A_{i+1} \otimes N_{i+1}) \times \mathbb{C}(M_n \otimes B_n \otimes N_n; T).$$

As a special case, $\text{ROpt}[\mathbb{C}](; \frac{S}{T}) := \mathbb{C}(S; T)$. In other words, a multimorphism, from $\frac{A_1}{B_1}, \dots, \frac{A_n}{B_n}$ to $\frac{S}{T}$, consists of two families of objects, M_1, \dots, M_n and N_1, \dots, N_n , and a family of functions, (f_0, \dots, f_n) , with types $f_0: S \rightarrow M_1 \otimes A_1 \otimes N_1$; with $f_i: M_i \otimes B_i \otimes N_i \rightarrow M_{i+1} \otimes A_{i+1} \otimes N_{i+1}$; for each $1 \leq i \leq n-1$; and $f_n: M_n \otimes B_n \otimes N_n \rightarrow T$. In the special nullary case, we have a single morphism $f_0: S \rightarrow T$.

Identities are given by pairs $(\text{id}_A, \text{id}_B)$. Given two raw optics $f = (f_0, \dots, f_n)$ and $g = (g_0, \dots, g_m)$, their composition is defined by

$$f \circ_i g := (g_0, \dots, g_i \circ (\text{id} \otimes f_0 \otimes \text{id}), \dots, \text{id} \otimes f_i \otimes \text{id}, \dots, (\text{id} \otimes f_n \otimes \text{id}) \circ g_{i+1}, \dots, g_m).$$

Every raw optic can be glued into a diagram context, as illustrated in Figure 9. More precisely we have,

► **Proposition 5.2.** *There is an identity on objects multifunctor $q: \text{ROpt}[\mathbb{C}] \rightarrow \boxed{\mathbb{C}}$ mapping each raw optic to its corresponding diagram context. Equivalently, there is an identity on objects symmetric multifunctor $q^*: \text{clique}(\text{ROpt}[\mathbb{C}]) \rightarrow \boxed{\mathbb{C}}$; this symmetric multifunctor is full.*


► **Proposition 5.3.** *The construction of raw optics extends to a functor $\text{ROpt}: \text{MonCat} \rightarrow \text{MultiCat}$ between the categories of strict monoidal categories and strict monoidal functors, and multicategories and multifunctors.*

► **Remark 5.4.** We could have defined context-free monoidal grammars as morphisms into raw optics, rather than diagram contexts, but this would require an arbitrary choice of raw optic for each rule, as in Figure 9. In particular, this would force us to choose a particular ordering of the holes, since raw optics do not form a symmetric multicategory. On the other hand, that such a choice exists will be needed to prove our representation theorem (Section 6).

5.2 Optical contour

We now introduce the left adjoint to the formation of raw optics, which we call the optical contour of a multicategory. The difference from the contour recalled in Section 2 is that additional objects M_i, N_i are introduced which keep track of strings that might surround holes, and this gives rise to a strict monoidal category.

► **Definition 5.5.** *Let \mathbb{M} be a multicategory. Its optical contour, \mathbb{CM} , is the strict monoidal category presented by a polygraph whose generators are given by contouring multimorphisms in \mathbb{M} . Each multimorphism gives rise to a set of generators for the monoidal category \mathbb{CM} – its set of sectors, as in Figure 10.*



■ **Figure 10** A multimorphism $p \in \mathbb{M}(A, B; Y)$ and its three **sectors** given by **optical contour**: $(p, 0) : Y^L \rightarrow M_1 \otimes A^L \otimes N_1$, $(p, 1) : M_1 \otimes A^R \otimes N_1 \rightarrow M_2 \otimes B^L \otimes N_2$, $(p, 2) : M_2 \otimes B^R \otimes N_2 \rightarrow Y^R$.

Explicitly, for each object $A \in \mathbb{M}$, the optical contour \mathcal{CM} contains a left polarized, A^L , and a right polarized, A^R , version of the object. Additionally, for each multimorphism $f \in \mathbb{M}(X_1, \dots, X_n; Y)$, there exists a family of objects $M_1^f, \dots, M_n^f, N_1^f, \dots, N_n^f$, whose superscripts we omit when they are clear from context. The morphisms are given by the following generators. For each $f \in \mathbb{M}(X_1, \dots, X_n; Y)$, we consider the following $n + 1$ generators:

$$\begin{aligned} (f, 0) &: Y^L \rightarrow M_1^f \otimes X_1^L \otimes N_1^f, \\ (f, i) &: M_i^f \otimes X_i^R \otimes N_i^f \rightarrow M_{i+1}^f \otimes X_{i+1}^L \otimes N_{i+1}^f, \text{ for } 1 \leq i \leq n-1, \text{ and} \\ (f, n) &: M_n^f \otimes X_n^R \otimes N_n^f \rightarrow Y^R. \end{aligned}$$

In particular, for a nullary multimorphism $f \in \mathbb{M}(\ ; Y)$, we consider a generator $(f, 0) : Y^L \rightarrow Y^R$. Further, we ask for the following equations which ensure that the optical contour preserves identities and composition: for all $x \in \mathbb{M}$, $(\text{id}_X, 0) = \text{id}_{X^L}$, $(\text{id}_X, 1) = \text{id}_{X^R}$ with $M_1^{\text{id}_X} = N_1^{\text{id}_X} = I$; and given any $f \in \mathbb{M}(X_1, \dots, X_n; Y_i)$ and $g \in \mathbb{M}(Y_1, \dots, Y_m; Z)$,

$$(f \circledast_i g, j) = \begin{cases} (g, j) & j < i, \text{ with } M_j^{f \circledast_i g} = M_j^g, N_j^{f \circledast_i g} = N_j^g \\ (g, i) \circledast (\text{id} \otimes (f, 0) \otimes \text{id}) & j = i, \text{ with } M_i^{f \circledast_i g} = M_i^g \otimes M_0^f \\ \text{id}_{M_i^g} \otimes (f, j-i) \otimes \text{id}_{N_i^g} & i < j < i+n, \text{ with } M_j^{f \circledast_i g} = M_i^g \otimes M_{j-i}^f \\ (\text{id} \otimes (f, n) \otimes \text{id}) \circledast (g, i+1) & j = i+n+1, \text{ with } M_j^{f \circledast_i g} = M_i^g \otimes M_n^f \\ (g, j-n) & j > i+n+1 \text{ with } M_j^{f \circledast_i g} = M_{j-n}^g. \end{cases}$$

In particular, when $f \in \mathbb{M}(\ ; Y_i)$ is nullary, $(f \circledast_i g, 0) = g_i \circledast f_0 \circledast g_{i+1}$.

► **Theorem 5.6.** *Optical contour is left adjoint to raw optics; there exists an adjunction $(\mathcal{C} \dashv \text{ROpt}) : \text{MonCat} \rightarrow \text{MultiCat}$.*

Proof. See Appendix C.

6 A Monoidal Representation Theorem

The Chomsky-Schützenberger representation theorem says that every context-free language can be obtained as the image under a homomorphism of the intersection of a Dyck language and a regular language [8]. Melliès and Zeilberger [33] use their splicing-contour adjunction to give a novel proof of this theorem for context-free languages in categories: the classical version is recovered when the category is a free monoid. The role of the Dyck language, providing linearizations of derivation trees, is taken over by *contours* of *derivations*.

Monoidal categories provide a more striking case: the Dyck language is not needed because the information that parentheses encode can be carried instead by tensor products.

In this section, we show that a regular monoidal language of **optical contours** is sufficient to reconstruct the original language. Theorem 6.6 states that *every context-free monoidal language is the image under a monoidal functor of a regular monoidal language*.

Our strategy will be to first choose a factoring of a grammar into raw optics, then use the **optical contour/raw optics** adjunction to produce the required monoidal functor. We must first establish that such a factoring exists. Omitted proofs may be found in Appendix I.

► **Lemma 6.1.** *Any morphism of symmetric multigraphs underlying a context-free monoidal grammar, $\phi : G \rightarrow |\mathbb{C}|$, factors (non-uniquely) through the quotienting of raw optics (Proposition 5.2); meaning that there exists some multigraph G' satisfying $G = \text{clique}(G')$, and some morphism $\phi_r : G' \rightarrow |\text{ROpt}[\mathbb{C}]|$, such that $\phi = \text{clique}(\phi_r) \circ q^*$.*

Call the factor $\phi_r : G' \rightarrow |\text{ROpt}[\mathbb{C}]|$ a **raw representative** of ϕ . It amounts to choosing a fixed ordering of the holes in a **diagram context** for each rule in the grammar, and a particular splicing into a **raw optic**.

► **Lemma 6.2.** *Let $\mathcal{G} = (\phi, \mathbb{S})$ be a context-free monoidal grammar. Then the language of any raw representative ϕ_r of ϕ (with start symbols \mathbb{S}) equals the language of \mathcal{G} . That is, $\phi_r[\mathcal{F}_\nabla G'(; S)] = \phi[\mathcal{F}_\nabla G(; S)]$ for all $S \in \mathbb{S}$.*

► **Lemma 6.3.** *A raw representative $\phi_r : G' \rightarrow |\text{ROpt}[\mathbb{C}]|$ uniquely determines a strict monoidal functor $I_\phi : \mathcal{F}_\otimes(\mathcal{C}G') \rightarrow \mathbb{C}$.*

We shall see that this **monoidal functor** maps the following **regular monoidal language** over $\mathcal{C}G$ to the language of the original **context-free monoidal grammar** ϕ .

► **Definition 6.4.** *Let $\mathcal{G} = (\phi : G \rightarrow |\mathbb{C}|, \mathbb{S})$ be a context-free monoidal grammar, and ϕ_r a raw representative with domain G' . Define a **regular representative** of \mathcal{G} to be the regular monoidal grammar $\mathcal{R} = (\text{id} : \mathcal{C}G' \rightarrow \mathcal{C}G', \mathbb{I}, \mathbb{F})$ over optical contours of G' whose morphism of polygraphs is the identity and where $\mathbb{I} := \{S^L \mid S \in \mathbb{S}\}$, and $\mathbb{F} := \{S^R \mid S \in \mathbb{S}\}$.*

► **Lemma 6.5.** *Given a multigraph G , there is a bijection between derivations rooted at a sort S and optical contours from S^L to S^R , that is $\mathcal{F}_\nabla G(; S) \cong \mathcal{F}_\otimes(\mathcal{C}G)(S^L; S^R)$.*

► **Theorem 6.6.** *The language of a context-free monoidal grammar $\mathcal{G} = (\phi : G \rightarrow |\mathbb{C}|, \mathbb{S})$ equals the image of a regular representative under the monoidal functor I_ϕ of Lemma 6.3.*

Theorem 6.6 is at first quite surprising, since in comparison with the usual Chomsky-Schützenberger theorem and its generalization [34], one might expect to see an *intersection* of a **regular monoidal language** and a **context-free monoidal language**. Instead, this theorem tells us that **regular monoidal languages** are powerful enough to encode **context-free monoidal languages**, even while the latter is strictly more expressive than the former. Just as a context-free grammar suffices to specify a programming language which may encode instructions for arbitrary computations, **regular monoidal languages** can specify arbitrary **context-free monoidal languages**, with a **monoidal functor** effecting the “compilation”.

7 Conclusion

There are still many avenues to explore in this structural approach to context-free languages. One obvious direction is to investigate a notion of pushdown automaton for context-free monoidal languages. In fact, it still remains to be elaborated how pushdown automata emerge

for context-free languages over plain categories. Following the general principle of *parsing as a lifting problem* [34], and the duality of grammars (fibered) and automata (indexed) may provide some clue to characterizing such automata by a universal property.

The study of languages and the dependence relations that [diagram contexts](#) naturally present may be useful to the study of complexity in monoidal categories, such as the notion of “monoidal width” proposed by Di Lavore and Sobociński [30, 31]. Conversely, measures of monoidal complexity may inform the cost of parsing different terms.

Finally, different types of string diagram exist for a variety of widely applied categorical structures beyond monoidal categories, such as double categories [35]. There are many opportunities to extend the general principle elaborated here to a notion of context-free language in these structures.

References

- 1 Samson Abramsky and Bob Coecke. Categorical quantum mechanics. In Kurt Engesser, Dov M. Gabbay, and Daniel Lehmann, editors, *Handbook of Quantum Logic and Quantum Structures*, pages 261–323. Elsevier, Amsterdam, 2009. URL: <https://www.sciencedirect.com/science/article/pii/B9780444528698500104>, doi:<https://doi.org/10.1016/B978-0-444-52869-8.50010-4>.
- 2 Jirí Adámek, Robert S.R. Myers, Henning Urbat, and Stefan Milius. Varieties of languages in a category. In *2015 30th Annual ACM/IEEE Symposium on Logic in Computer Science*, pages 414–425, 2015. doi:[10.1109/LICS.2015.46](https://doi.org/10.1109/LICS.2015.46).
- 3 Achim Blumensath. Algebraic language theory for Eilenberg–Moore algebras. *Logical Methods in Computer Science*, 17, 2021.
- 4 Mikołaj Bojańczyk, Bartek Klin, and Julian Salamanca. Monadic monadic second order logic, 2022. URL: <https://arxiv.org/abs/2201.09969>, doi:[10.48550/ARXIV.2201.09969](https://doi.org/10.48550/ARXIV.2201.09969).
- 5 Filippo Bonchi, Fabio Gadducci, Aleks Kissinger, Pawel Sobocinski, and Fabio Zanasi. String diagram rewrite theory I: Rewriting with Frobenius structure. *J. ACM*, 69(2), mar 2022. doi:[10.1145/3502719](https://doi.org/10.1145/3502719).
- 6 Filippo Bonchi, Robin Piedeleu, Pawel Sobocinski, and Fabio Zanasi. Graphical affine algebra. In *34th Annual ACM/IEEE Symposium on Logic in Computer Science, LICS 2019, Vancouver, BC, Canada, June 24-27, 2019*, pages 1–12. IEEE, 2019. doi:[10.1109/LICS.2019.8785877](https://doi.org/10.1109/LICS.2019.8785877).
- 7 Francis Bossut, Max Dauchet, and Bruno Warin. A Kleene theorem for a class of planar acyclic graphs. *Inf. Comput.*, 117:251–265, 03 1995. doi:[10.1006/inco.1995.1043](https://doi.org/10.1006/inco.1995.1043).
- 8 Noam Chomsky and Marcel-Paul Schützenberger. The algebraic theory of context-free languages. In P. Braffort and D. Hirschberg, editors, *Computer Programming and Formal Systems*, volume 35 of *Studies in Logic and the Foundations of Mathematics*, pages 118–161. Elsevier, 1963. URL: <https://www.sciencedirect.com/science/article/pii/S0049237X08720238>, doi:[https://doi.org/10.1016/S0049-237X\(08\)72023-8](https://doi.org/10.1016/S0049-237X(08)72023-8).
- 9 Bryce Clarke, Derek Elkins, Jeremy Gibbons, Fosco Loregiàn, Bartosz Milewski, Emily Pillmore, and Mario Román. Profunctor optics, a categorical update. *CoRR*, abs/2001.07488, 2020. URL: <https://arxiv.org/abs/2001.07488>, arXiv:2001.07488.
- 10 Bruno Courcelle and Joost Engelfriet. *Graph Structure and Monadic Second-Order Logic: A Language-Theoretic Approach*. Encyclopedia of Mathematics and its Applications. Cambridge University Press, 2012. doi:[10.1017/CB09780511977619](https://doi.org/10.1017/CB09780511977619).
- 11 Philippe de Groote. Towards abstract categorial grammars. In *Proceedings of the 39th Annual Meeting of the Association for Computational Linguistics*, pages 252–259, Toulouse, France, July 2001. Association for Computational Linguistics. URL: <https://aclanthology.org/P01-1033>, doi:[10.3115/1073012.1073045](https://doi.org/10.3115/1073012.1073045).
- 12 Volker Diekert and Grzegorz Rozenberg. *The Book of Traces*. World Scientific, 1995. doi:[10.1142/2563](https://doi.org/10.1142/2563).

- 13 Matthew Earnshaw, James Hefford, and Mario Román. The Produoidal Algebra of Process Decomposition. In Aniello Murano and Alexandra Silva, editors, *32nd EACSL Annual Conference on Computer Science Logic (CSL 2024)*, volume 288 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 25:1–25:19, Dagstuhl, Germany, 2024. Schloss Dagstuhl – Leibniz-Zentrum für Informatik. URL: <https://drops.dagstuhl.de/entities/document/10.4230/LIPIcs.CSL.2024.25>, doi:10.4230/LIPIcs.CSL.2024.25.
- 14 Matthew Earnshaw and Paweł Sobociński. Regular monoidal languages. In Stefan Szeider, Robert Ganian, and Alexandra Silva, editors, *47th International Symposium on Mathematical Foundations of Computer Science (MFCS 2022)*, volume 241 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 44:1–44:14, Dagstuhl, Germany, 2022. Schloss Dagstuhl – Leibniz-Zentrum für Informatik. URL: <https://drops.dagstuhl.de/opus/volltexte/2022/16842>, doi:10.4230/LIPIcs.MFCS.2022.44.
- 15 Matthew Earnshaw and Paweł Sobociński. String Diagrammatic Trace Theory. In Jérôme Leroux, Sylvain Lombardy, and David Peleg, editors, *48th International Symposium on Mathematical Foundations of Computer Science (MFCS 2023)*, volume 272 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 43:1–43:15, Dagstuhl, Germany, 2023. Schloss Dagstuhl – Leibniz-Zentrum für Informatik. URL: <https://drops.dagstuhl.de/opus/volltexte/2023/18577>, doi:10.4230/LIPIcs.MFCS.2023.43.
- 16 Matthew Earnshaw and Paweł Sobociński. Regular planar monoidal languages. *Journal of Logical and Algebraic Methods in Programming*, 2024. In Press.
- 17 Samuel Eilenberg and Jesse B. Wright. Automata in general algebras. *Information and Control*, 11(4):452–470, 1967. doi:[https://doi.org/10.1016/S0019-9958\(67\)90670-5](https://doi.org/10.1016/S0019-9958(67)90670-5).
- 18 Joost Engelfriet. *Context-Free Graph Grammars*, pages 125–213. Springer Berlin Heidelberg, Berlin, Heidelberg, 1997. doi:10.1007/978-3-642-59126-6_3.
- 19 Brendan Fong and David I. Spivak. Hypergraph categories. *Journal of Pure and Applied Algebra*, 223(11):4746–4777, 2019. URL: <https://www.sciencedirect.com/science/article/pii/S0022404919300489>, doi:<https://doi.org/10.1016/j.jpaa.2019.02.014>.
- 20 Tobias Fritz. A synthetic approach to Markov kernels, conditional independence, and theorems on sufficient statistics. *CoRR*, abs/1908.07021, 2019. URL: <http://arxiv.org/abs/1908.07021>, arXiv:1908.07021.
- 21 Ferenc Gécseg and Magnus Steinby. *Tree Languages*, page 1–68. Springer-Verlag, Berlin, Heidelberg, 1997.
- 22 Annegret Habel. *Hyperedge Replacement: Grammars and Languages*, volume 643 of *Lecture Notes in Computer Science*. Springer, 1992. URL: <https://doi.org/10.1007/BFb0013875>, doi:10.1007/BFb0013875.
- 23 Tobias Heindel. The Chomsky-Schützenberger theorem with circuit diagrams in the role of words. *Abstract*, 2017.
- 24 Tobias Heindel. A Myhill-Nerode theorem beyond trees and forests via finite syntactic categories internal to monoids. *Preprint*, 2017.
- 25 Chris Heunen and Jamie Vicary. *Categories for Quantum Theory: an introduction*. Oxford University Press, 2019.
- 26 Ralf Hinze and Dan Marsden. *Introducing String Diagrams: The Art of Category Theory*. Cambridge University Press, 2023.
- 27 Alan Jeffrey. Premonoidal categories and a graphical view of programs. *Preprint, Dec*, pages 80688–7, 1997.
- 28 André Joyal and Ross Street. The geometry of tensor calculus, I. *Advances in Mathematics*, 88(1):55–112, 1991. URL: <https://www.sciencedirect.com/science/article/pii/000187089190003P>, doi:[https://doi.org/10.1016/0001-8708\(91\)90003-P](https://doi.org/10.1016/0001-8708(91)90003-P).
- 29 Mohammad Amin Kuhail, Shahbano Farooq, Rawad Hammad, and Mohammed Bahja. Characterizing visual programming approaches for end-user developers: A systematic review. *IEEE Access*, 9:14181–14202, 2021.
- 30 Elena Di Lavore. *Monoidal Width*. PhD thesis, Tallinn University of Technology, 2023.

- 31 Elena Di Lavore and Pawel Sobocinski. Monoidal width. *Log. Methods Comput. Sci.*, 19(3), 2023. URL: [https://doi.org/10.46298/lmcs-19\(3:15\)2023](https://doi.org/10.46298/lmcs-19(3:15)2023), doi:10.46298/LMCS-19(3:15)2023.
- 32 Tom Leinster. *Higher Operads, Higher Categories*. London Mathematical Society Lecture Note Series. Cambridge University Press, 2004. doi:10.1017/CB09780511525896.
- 33 Paul-André Melliès and Noam Zeilberger. Parsing as a Lifting Problem and the Chomsky-Schützenberger Representation Theorem. In *MFPS 2022-38th conference on Mathematical Foundations for Programming Semantics*, 2022.
- 34 Paul-André Melliès and Noam Zeilberger. The categorical contours of the Chomsky-Schützenberger representation theorem. Preprint, December 2023. URL: <https://hal.science/hal-04399404>.
- 35 David Jaz Myers. String diagrams for double categories and equipments, 2018. arXiv:1612.02762.
- 36 Evan Patterson, David I. Spivak, and Dmitry Vagner. Wiring diagrams as normal forms for computing in symmetric monoidal categories. *Electronic Proceedings in Theoretical Computer Science*, 333:49–64, February 2021. URL: <http://dx.doi.org/10.4204/EPTCS.333.4>, doi:10.4204/eptcs.333.4.
- 37 Mario Román. Open diagrams via coend calculus. *Electronic Proceedings in Theoretical Computer Science*, 333:65–78, Feb 2021. URL: <http://dx.doi.org/10.4204/EPTCS.333.5>, doi:10.4204/eptcs.333.5.
- 38 Mario Román. *Monoidal Context Theory*. PhD thesis, Tallinn University of Technology, 2023.
- 39 Robert Rosebrugh, Nicoletta Sabadini, and Robert F.C. Walters. Generic commutative separable algebras and cospans of graphs. *Theory and applications of categories*, 15:164–177, 2005.
- 40 Paul W. K. Rothmund, Nick Papadakis, and Erik Winfree. Algorithmic self-assembly of DNA Sierpinski triangles. *PLOS Biology*, 2(12), 12 2004. doi:10.1371/journal.pbio.0020424.
- 41 William C. Rounds. Context-free grammars on trees. In *Proceedings of the First Annual ACM Symposium on Theory of Computing*, STOC '69, page 143–148, New York, NY, USA, 1969. Association for Computing Machinery. doi:10.1145/800169.805428.
- 42 Grzegorz Rozenberg. *Handbook Of Graph Grammars And Computing By Graph Transformation, Vol 1: Foundations*. World Scientific Publishing Company, 1997. URL: <https://books.google.ee/books?id=KwbtCgAAQBAJ>.
- 43 Hiroyuki Seki, Takashi Matsumura, Mamoru Fujii, and Tadao Kasami. On multiple context-free grammars. *Theoretical Computer Science*, 88(2):191–229, 1991. URL: <https://www.sciencedirect.com/science/article/pii/030439759190374B>, doi:[https://doi.org/10.1016/0304-3975\(91\)90374-B](https://doi.org/10.1016/0304-3975(91)90374-B).
- 44 Peter Selinger. A survey of graphical languages for monoidal categories. In Bob Coecke, editor, *New Structures for Physics*, pages 289–355. Springer Berlin Heidelberg, Berlin, Heidelberg, 2011. doi:10.1007/978-3-642-12821-9_4.
- 45 Michael Shulman. Categorical logic from a categorical point of view. *Available on the web*, 2016. URL: <https://mikeshulman.github.io/catlog/catlog.pdf>.
- 46 James W. Thatcher and J. B. Wright. Generalized finite automata theory with an application to a decision problem of second-order logic. *Mathematical systems theory*, 2(1):57–81, Mar 1968.
- 47 Bret Tilson. Categories as algebra: An essential ingredient in the theory of monoids. *Journal of Pure and Applied Algebra*, 48(1):83–198, 1987. URL: <https://www.sciencedirect.com/science/article/pii/0022404987901083>, doi:[https://doi.org/10.1016/0022-4049\(87\)90108-3](https://doi.org/10.1016/0022-4049(87)90108-3).
- 48 Robert F.C. Walters. A note on context-free languages. *Journal of Pure and Applied Algebra*, 62(2):199–203, 1989. doi:10.1016/0022-4049(89)90151-5.
- 49 Vladimir Zamdzhiev. *Rewriting Context-free Families of String Diagrams*. PhD thesis, University of Oxford, 2016.

A Monoidal Categories

► **Definition A.1.** A **strict monoidal category** \mathbb{C} consists of a monoid of objects, or resources, $(\mathbb{C}_{obj}, \otimes, I)$, and a collection of morphisms, or processes, $\mathbb{C}(X; Y)$, indexed by an input $X \in \mathbb{C}_{obj}$ and an output $Y \in \mathbb{C}_{obj}$. A strict monoidal category is endowed with operations for the sequential and parallel composition of processes, respectively

$$\begin{aligned} (\circledast): \mathbb{C}(X; Y) \times \mathbb{C}(Y; Z) &\rightarrow \mathbb{C}(X; Z), \\ (\otimes): \mathbb{C}(X; Y) \times \mathbb{C}(X'; Y') &\rightarrow \mathbb{C}(X \otimes X'; Y \otimes Y'), \end{aligned}$$

and a family of identity morphisms, $id_X \in \mathbb{C}(X; X)$. Strict monoidal categories must satisfy the following axioms.

1. Sequencing is unital, $f \circledast id_Y = f$ and $id_X \circledast f = f$.
2. Sequencing is associative, $f \circledast (g \circledast h) = (f \circledast g) \circledast h$.
3. Sequencing is associative, $f \circledast (g \circledast h) = (f \circledast g) \circledast h$.
4. Tensoring is unital, $f \otimes id_I = f$ and $id_I \otimes f = f$.
5. Tensoring is associative, $f \otimes (g \otimes h) = (f \otimes g) \otimes h$.
6. Tensoring and identities interchange, $id_A \otimes id_B = id_{A \otimes B}$.
7. Tensoring and sequencing interchange,

$$(f \circledast g) \otimes (f' \circledast g') = (f \otimes f') \circledast (g \otimes g').$$

► **Remark A.2.** This definition, slightly different from that found in most references, is taken from the thesis of Román [38].

► **Definition A.3.** A **symmetric strict monoidal category** is a monoidal category equipped with a natural family of isomorphisms $\sigma_{X,Y}: X \otimes Y \rightarrow Y \otimes X$ for every pair of objects X, Y . We can extend string diagrams to express this structure, by allowing strings to cross without tangling. That is, we introduce components (below, left) for every pair of sorts, and equations (below, right) expressing that these are natural isomorphisms. Adding this structure to the free monoidal category over a polygraph presents the free symmetric monoidal category over that polygraph.



► **Definition A.4.** A **strict monoidal functor**, $F: \mathbb{C} \rightarrow \mathbb{D}$, is a monoid homomorphism between their objects, $F_{obj}: \mathbb{C}_{obj} \rightarrow \mathbb{D}_{obj}$, and an assignment of morphisms $f \in \mathbb{C}(X; Y)$ to morphisms $F(f) \in \mathbb{D}(FX; FY)$. A functor must preserve sequential composition, $F(f \circledast g) = F(f) \circledast F(g)$; parallel composition, $F(f \otimes g) = F(f) \otimes F(g)$; and identities, $F(id) = id$. Strict monoidal categories with strict monoidal functors form a category, **MonCat**.

B Pumping lemma for regular monoidal languages

► **Lemma B.1** ([16]). Let L be a **regular monoidal language**. Then $\forall k \in \mathbb{N}^+, \exists n$ such that for any $s \in L$ where s may be factorized into $m \geq n$ non-identity morphisms $s = s_0 \circledast \dots \circledast s_i \circledast \dots \circledast s_j \circledast \dots \circledast s_m$ where $s_i: k_i \rightarrow k_{i+1}$, with $1 \leq k_i \leq k$, there exists i, j, ℓ such that $k_i = k_j = \ell$ and $s' \circledast (s'')^a \circledast s''' \in L$ for all $a \geq 0$, where $s' = s_0 \circledast \dots \circledast s_i$, $s'' = s_{i+1} \circledast \dots \circledast s_j$, and $s''' = s_{j+1} \circledast \dots \circledast s_m$.

Proof. Let L be the language of a grammar $(\phi : M \rightarrow \Gamma, I, F)$. If L has a finite number of connected string diagrams, then for any k take n be longer than the longest factorization over all diagrams in L , then the lemma holds vacuously. Otherwise let k be given, then take $n = \sum_{i=0}^k |S_M|^i$. Let $s \in L$, such that it has a factorization of the form above. Then by the pigeonhole principle, we will have i, j, ℓ as required in the lemma. ◀

► **Lemma B.2** (Contrapositive form). *Let L be a language and suppose that $\exists k \in \mathbb{N}^+$ such that $\forall n$ there exists a morphism $w \in L$ that factorizes as in Lemma B.1 and for all i, j, ℓ such that $k_i = k_j = \ell$, there exists an a such that the pumped morphism $w'w''^a w''' \notin L$, then L is not regular monoidal.*

► **Observation B.3.** *This reduces to the pumping lemma for words and trees, taking $k = 1$.*

C Optical contour-splice adjunction

► **Theorem 5.6.** *Optical contour is left adjoint to raw optics; there exists an adjunction $(\mathcal{C} \dashv \text{ROpt}) : \text{MonCat} \rightarrow \text{MultiCat}$.*

Proof. Let \mathcal{C} be a strict monoidal category and let \mathbb{M} be a multicategory. We need first to prove that the two constructions involved, \mathcal{C} and ROpt , are indeed functors – this proof, although tedious, proceeds as expected and we prefer to omit it here.


We will show that there is a bijection between strict monoidal functors $\mathcal{CM} \rightarrow \mathcal{C}$ and multifunctors $\mathbb{M} \rightarrow \text{ROpt}[\mathcal{C}]$.

- The objects of $\text{ROpt}[\mathcal{C}]$ are pairs of objects. Mapping an object of the multicategory $X \in \mathbb{M}$ to a pair of objects is the same as mapping two objects, X^L and X^R , to the objects of the category \mathcal{C} .
- Mapping a multimorphism $f \in \mathbb{M}(X_1, \dots, X_n; Y)$ to the multicategory of raw optics consists of choosing a family of functions (f_0, \dots, f_n) together with two families of objects M_1, \dots, M_n and N_1, \dots, N_n . This is the same choice we need to map each one of the components of the contour of $f \in \mathbb{M}(X_1, \dots, X_n; Y)$ to that exact family of functions.

That is, we have only checked that, by construction, the maps out of the contour correspond with multifunctors to raw optics. The adjunction remains conceptually interesting because it links two concepts that have different conceptual interpretations, even if it can be reduced to note that one has been defined as the adjoint to the other. ◀

D Cartesian monoidal categories

The free *cartesian category* over a polygraph may be presented using string diagrams. As with *symmetric monoidal categories*, we add some new generators and equations, to the effect that every object is equipped with a natural and uniform counital comagma structure. That is, in addition to symmetric structure, we add the following generators and equations.




This structure must be uniform, in the sense that the structure on tensor products is given by tensor products of structure. See [44, Section 4.1] for more details.

► **Remark D.1.** In most sources, cartesian categories are presented in terms of the presence of cocommutative comonoid structure. However, Román has shown that counital comagmas suffice [38].

E Hypergraph categories

The free *hypergraph category* over a polygraph may be presented using string diagrams. As with *cartesian monoidal categories*, we add some new generators and equations. This extra structure amounts to equipping every object with the structure of a special commutative Frobenius algebra. That is, in addition to symmetry we ask for the following generators and equations:



Moreover, this structure must be uniform in the sense that the structure on tensor products of objects is given by tensor products of the structure, see [19] for more details.

The morphisms of the free hypergraph category over a polygraph are in bijection with multi-pointed hypergraphs in the sense of Habel [22, Definition 1.3], that is, hypergraphs with “open” source and target boundaries [5]. Intuitively, string diagrams in a hypergraph category are hypergraphs.

F Details for Section 3

► **Proposition 3.8.** *For every non-deterministic monoidal automaton there is a regular monoidal grammar with the same language, and vice-versa.*

Proof sketch. From the transitions $\Delta_\gamma \subseteq Q^n \times Q^m$ of a *monoidal automaton*, we can build a polygraph \mathbb{Q} by taking a generator $\gamma_i : q_1 \otimes \dots \otimes q_n \rightarrow q'_1 \otimes \dots \otimes q'_m$ for each $((q_1, \dots, q_n), (q'_1, \dots, q'_m)) \in \Delta_\gamma$. The morphism of polygraphs $\psi : \mathbb{Q} \rightarrow \Gamma$ simply maps γ_i to γ . The reverse is analogous.

► **Definition F.1.** *Given a non-deterministic monoidal automaton over a polygraph Γ , we inductively define transition functions $\hat{\delta}_{n,m} : Q^n \times \mathcal{F}_\otimes \Gamma(n, m) \rightarrow \mathcal{P}(Q^m)$ over string diagrams in the free monoidal category over Γ with arity n and coarity m as follows:*

- For a generator $\gamma \in \Gamma$, $\hat{\delta}_{n,m}(q, \gamma) := \delta_{n,m}(\gamma)$,
- for identities, $\hat{\delta}_{n,n}(q, \text{id}) := n$,
- for a tensor product $s_1 \otimes s_2$, where $s_1 : n_1 \rightarrow m_1, s_2 : n_2 \rightarrow m_2$ with $n = n_1 + n_2, m = m_1 + m_2$, $\hat{\delta}_{n,m}(q, s_1 \otimes s_2) := \hat{\delta}_{n_1, m_1}(q, s_1) + \hat{\delta}_{n_2, m_2}(q, s_2)$,
- for a composite $s; s'$, where $s : n \rightarrow p, s' : p \rightarrow m$, $\hat{\delta}_{n,m}(q, s; s') := \hat{\delta}_{p,m}(\hat{\delta}_{n,m}(q, s), s')$.

G Proofs omitted from Section 4

► **Proposition 4.3.** *The multicategory of derivable sequents in the theory of diagram contexts is symmetric. In logical terms, exchange is admissible in the theory of diagram contexts.*

Proof. Assume we derived a term $\Gamma, \boxed{u}, \boxed{v}, \Delta \vdash t$; let us show we could also derive $\Gamma, \boxed{v}, \boxed{u}, \Delta \vdash t$. We proceed by structural induction, recurring to the first term where the variables \boxed{u} and \boxed{v} appeared at two sides of the rule: this rule must have been of the form $t_1 \sharp t_2$ or $t_1 \otimes t_2$ for $\Gamma_1, \boxed{u}, \Delta_1 \vdash t_1$ and $\Gamma_2, \boxed{v}, \Delta_2 \vdash t_2$, where $\Gamma \in \text{Shuf}(\Gamma_1; \Gamma_2)$ and $\Delta \in \text{Shuf}(\Delta_1; \Delta_2)$. In that case, we can deduce that $\Gamma, \boxed{v}, \boxed{u}, \Delta \in \text{Shuf}(\Gamma_1, \boxed{u}, \Delta_1; \Gamma_2, \boxed{v}, \Delta_2)$; as a consequence, $\Gamma, \boxed{v}, \boxed{u}, \Delta \vdash t$ can be derived. \blacktriangleleft

► **Proposition 4.4.** *Derivable sequents in the theory of **diagram contexts** over a polygraph \mathcal{P} form the free strict monoidal category over the polygraph extended with special “hole” generators, $\mathcal{P} + \{h_{A,B} : A \rightarrow B \mid A, B \in \mathcal{P}_{obj}^*\}$. Derivable sequents over the empty context form the free **strict monoidal category** over the polygraph \mathcal{P} . Moreover, there exists a symmetric multifunctor $i: \mathcal{F}_{\otimes} \mathcal{P} \rightarrow \mathcal{P}$ interpreting each monoidal term as its derivable sequent.*

Proof. We proceed by structural induction. We first note that the three nullary rules of the logic correspond to terms on the free strict monoidal category over the polygraph $\mathcal{P} + \{h_{A,B} \mid A, B \in \mathcal{P}_{obj}^*\}$. The first corresponds to identities, the second corresponds to generators, and the third, when employed with types A and B , corresponds to the additional generator $h_{A,B}$. We then note that the two binary rules correspond to sequential and parallel composition, thus obtaining the classical algebraic theory of monoidal terms over the polygraph $\mathcal{P} + \{h_{A,B} \mid A, B \in \mathcal{P}_{obj}^*\}$.

Quotienting over the equations of monoidal categories, as we do when we impose the equations of the theory of diagram contexts, recovers the free strict monoidal category: in a tautological sense, the free strict monoidal category is precisely the one generated by the operations of a monoidal category quotiented by the axioms of a monoidal category. This contrasts sharply with a much more interesting description of the free strict monoidal category: that using string diagrams. As both are exhibited as satisfying the same universal property, they are necessarily equivalent.

As a particular case, a derivable sequent over the empty context must, by structural induction, avoid any use of the holes. As a consequence of the previous reasoning, it is generated from the polygraph \mathcal{P} and it must be a morphism of the free strict monoidal category.

Finally, the symmetric multifunctor can be described by structural induction: it preserves identities, holes, sequential and parallel compositions, but it sends each monoidal term $h \in \mathcal{F}_{\otimes} \mathcal{P}$ to its derivation under the empty context, $h \in \mathcal{P}$. \blacktriangleleft

H Details from Section 5

► **Proposition H.1.** *The following square of adjunctions commutes.*

$$\begin{array}{ccc}
 \text{PolyGraph} & \xleftarrow{\mathcal{C}} & \text{MultiGraph} \\
 \mathcal{F}_{\otimes} \downarrow \uparrow U & \text{ROpt} & \mathcal{F}_{\vee} \downarrow \uparrow U \\
 \text{MonCat} & \xleftarrow{\mathcal{C}} & \text{MultiCat} \\
 & \text{ROpt} &
 \end{array}$$

Proof. This follows by unwinding definitions. \blacktriangleleft

I Proofs omitted from Section 6

► **Lemma 6.1.** *Any morphism of symmetric multigraphs underlying a context-free monoidal grammar, $\phi : G \rightarrow |\mathbb{C}|$, factors (non-uniquely) through the quotienting of raw optics (Proposition 5.2); meaning that there exists some multigraph G' satisfying $G = \text{clique}(G')$, and some morphism $\phi_r : G' \rightarrow |\text{ROpt}[\mathbb{C}]|$, such that $\phi = \text{clique}(\phi_r) \circledast q^*$.*

Proof. This is a consequence of the fact that q^* is full. Given any diagram context, we argue that we can obtain a (non-unique) diagram context of the form of a raw optic

$$t_1 \circledast (\text{id}_{M_1} \otimes \boxed{x_1} \otimes \text{id}_{N_1}) \circledast t_2 \circledast (\text{id}_{M_2} \otimes \boxed{x_2} \otimes \text{id}_{N_2}) \circledast \dots \circledast (\text{id}_{M_n} \otimes \boxed{x_n} \otimes \text{id}_{N_n}) \circledast t_{n+1}.$$

Indeed, by structural induction, if the diagram is formed by a hole or a generator, it can be put in raw optic form by adding identities; if the diagram is a composition, we can put both factors in raw optic form and check that their composition is again in raw optic form; if the diagram is a tensoring of two diagrams in raw optic form, we can always apply the interchange law and note that whiskering a raw optic by an object returns again a raw optic.

It is the case that every map $G \rightarrow \text{clique}(H)$ arises as a map $G' \rightarrow H$ for some multigraph G' such that $G = \text{clique}(M)$. Combining both facts, we obtain the desired result. ◀

► **Lemma 6.2.** *Let $\mathcal{G} = (\phi, \mathbb{S})$ be a context-free monoidal grammar. Then the language of any raw representative ϕ_r of ϕ (with start symbols \mathbb{S}) equals the language of \mathcal{G} . That is, $\phi_r[\mathcal{F}_\nabla G'(; S)] = \phi[\mathcal{F}_\nabla G(; S)]$ for all $S \in \mathbb{S}$.*

Proof sketch. A raw representative amounts to choosing a specific ordering of the holes and generators in a diagram context. By definition (Lemma 6.1), these quotient to the original diagram contexts. In particular closed derivations quotient to the same element of \mathbb{C} .

► **Lemma 6.3.** *A raw representative $\phi_r : G' \rightarrow |\text{ROpt}[\mathbb{C}]|$ uniquely determines a strict monoidal functor $I_\phi : \mathcal{F}_\otimes(\mathcal{C}G') \rightarrow \mathbb{C}$.*

Proof. Using the free-forgetful adjunction, the raw representative, ϕ_r , determines a unique multifunctor $\mathcal{F}_\nabla G' \rightarrow \text{ROpt}[\mathbb{C}]$. Using the adjunction of Theorem 5.6, this in turn determines a unique monoidal functor $\mathcal{C}(\mathcal{F}_\nabla G') \rightarrow \mathbb{C}$. Finally, using the commutativity of \mathcal{C} with \mathcal{F}_∇ (Proposition H.1), we obtain $I_\phi : \mathcal{F}_\otimes(\mathcal{C}G') \rightarrow \mathbb{C}$. Explicitly, the action of I_ϕ on generators is given by: $A^L \mapsto \pi_1(\phi_r(A))$, $A^R \mapsto \pi_2(\phi_r(A))$, $(f, i) \mapsto \pi_i(\phi_r(f))$, where π are projections. ◀

► **Lemma 6.5.** *Given a multigraph G , there is a bijection between derivations rooted at a sort S and optical contours from S^L to S^R , that is $\mathcal{F}_\nabla G(; S) \cong \mathcal{F}_\otimes(\mathcal{C}G)(S^L; S^R)$.*

Proof. Let $d \in \mathcal{F}_\nabla G(; S)$ be a derivation. We define a family of functions $\{C_X : \mathcal{F}_\nabla G(; X) \rightarrow \mathcal{F}_\otimes(\mathcal{C}G)(X^L, X^R)\}_{X \in G}$ by structural recursion. There are two cases: if d is a generating operation $d \in G(; S)$, then $C_S(d) := (d, 0) : S^L \rightarrow S^R$. Otherwise, d is a composite $(p_1, \dots, p_n) \circledast g$ where $g \in G(X_1, \dots, X_n; S)$ is a generating operation and $p_i \in \mathcal{F}_\nabla G(; X_i)$, in which case $C_S(d) := (g, 0) \circledast C_{X_1}(p_1) \circledast (g, 1) \circledast \dots \circledast C_{X_n}(p_n) \circledast (g, n)$.

We define functions C_S^{-1} right to left in a similar fashion. Let $c \in \mathcal{F}_\otimes(\mathcal{C}G)(S^L; S^R)$ be an optical contour. If $c = (c', 0)$ is a generating sector then $C_S^{-1}(c) := c'$. Otherwise c is a composite $((g, 0) : S^L \rightarrow M_1 \otimes X_1^L \otimes N_1) \circledast c_1 \circledast ((g, 1) : M_1 \otimes X_1^R \otimes N_1 \rightarrow M_2 \otimes X_2^L \otimes N_2) \circledast \dots \circledast c_n \circledast ((g, n) : M_1 \otimes X_1^R \otimes N_1 \rightarrow S^R)$ where (g, i) are generating sectors and $c_i \in \mathcal{F}_\otimes(\mathcal{C}G)(X_i^L, X_i^R)$, in which case $C_S^{-1}(c) := (C_{X_1}^{-1}(c_1), \dots, C_{X_n}^{-1}(c_n)) \circledast g$. It is clear that these functions are mutually inverse and hence form a bijection. ◀

23:24 Context-Free Languages of String Diagrams

► **Theorem 6.6.** *The language of a context-free monoidal grammar $\mathcal{G} = (\phi : G \rightarrow |\mathbb{C}|, \mathbb{S})$ equals the image of a regular representative under the monoidal functor I_ϕ of Lemma 6.3.*

Proof. By Lemma 6.2, the languages $L(\mathcal{G})$ and $L((\phi_r, \mathbb{S}))$ are equal for any raw representative ϕ_r of ϕ , where $L((\phi_r, \mathbb{S}))$ is the union of sets $\phi_r[\mathcal{F}_\nabla G'(; S)]$ for every $S \in \mathbb{S}$. It therefore suffices to show that $\phi_r[\mathcal{F}_\nabla G'(; S)] = I_\phi[\mathcal{F}_\otimes(\mathcal{C}G')(S^L; S^R)]$ for every $S \in \mathbb{S}$. We show the inclusion left to right. Let $d \in \mathcal{F}_\nabla G'(; S)$ be a derivation, and let $C_S(d)$ be the corresponding optical contour given by Lemma 6.5. Then by the definition of I_ϕ (Lemma 6.3) and C_S , we have $I_\phi(C_S(d)) = \phi_r(d)$. We show the inclusion right to left. Let $g \in \mathcal{F}_\otimes(\mathcal{C}G')(S^L; S^R)$ be a contour from S^L to S^R , and let $C_S^{-1}(g)$ be the corresponding derivation given by Lemma 6.5. Then just as before we have $\phi_r(C_S^{-1}(g)) = I_\phi(g)$. ◀